FALL PREVENTION THROUGH BETTER BALANCE

STAYING STEADY, ACTIVE, AND INDEPENDENT AS YOU AGE

A PRACTICAL GUIDE TO REDUCING FALL RISK WITH PROVEN MOVEMENT STRATEGIES

DR. PADEN WOLFE

INTRODUCTION

Why Balance Matters More Than You Think

Falls are one of the leading causes of injury as we age. In fact, one in four adults over 65 experiences a fall each year, and many of these falls lead to serious injuries like hip fractures or head trauma.

Beyond the physical harm, falls can create fear and loss of confidence, leading people to avoid activities they once enjoyed.

The good news? Many falls are preventable. By understanding what affects balance and practicing the right strategies, you can stay steady, active, and independent for years to come.

This guide will show you:

- The three key systems that influence balance
- Simple, effective exercises you can do at home
- How physical therapy can provide safe, targeted training to prevent falls

ABOUT MILE HIGH PHYSICAL THERAPY

Mile High Physical Therapy: Helping You Stay Steady & Independent

Located in the heart of Denver, CO, Mile High Physical Therapy is dedicated to helping people regain movement, strength, and confidence—without unnecessary surgeries or medications.

We are passionate about helping people improve their balance and reduce fall risks. We combine advanced physical therapy techniques with a supportive environment that allows you to rebuild strength, coordination, and confidence.

Our approach isn't about quick fixes. It's about treating the root causes of balance challenges—whether vestibular issues, proprioceptive deficits, or vision concerns—so you can move freely and safely in your daily life.

ABOUT DR. PADEN WOLFE

Meet Dr. Paden Wolfe: 30+ Years of Experience in Balance & Fall Prevention

Dr. Paden Wolfe, MSPT, DPT, has dedicated over three decades to helping patients improve mobility, stability, and overall quality of life.

His expertise covers everything from vestibular rehabilitation and fall prevention to strength and mobility training.

His approach often includes:

- Vestibular rehabilitation techniques (such as the Epley Maneuver) to reduce dizziness and vertigo
- Customized balance and proprioceptive training exercises
- Use of specialized safety systems like the Solo-Step harness to ensure fall-free practice
- Home exercise programs to build long-term strength and stability

With his patient-centered approach, Dr. Wolfe focuses on uncovering the root causes of imbalance rather than just treating the symptoms. He has helped thousands of individuals regain confidence in their movement, reduce their risk of falls, and return to the activities they value most—all with safe, personalized care designed to meet each patient where they are.

WHY BALANCE BECOMES MORE CHALLENGING WITH AGE

Balance is not just about strong muscles—it's about coordination between three key systems in your body:

1. **Vestibular System** – Located in your inner ear, it helps detect head position and movement.
2. **Proprioceptive System** – Sensors in your muscles and joints tell your brain where your body is in space.
3. **Visual System** – Your eyes provide crucial input to help maintain orientation and stability.

When one of these systems is weakened, your risk of losing balance increases. Physical therapists are uniquely trained to help with vestibular and proprioceptive challenges.

RESTORING BALANCE THROUGH THE VESTIBULAR SYSTEM

For many people, dizziness or vertigo is the root of balance issues. One common cause is **Benign Paroxysmal Positional Vertigo (BPPV)**, a condition that occurs when tiny calcium crystals in the inner ear become dislodged and move into areas where they interfere with your balance signals. This can make even simple activities—like rolling over in bed, looking up, or bending forward—feel disorienting and unsafe.

The Solution: The **Epley Maneuver** is a simple, research-backed treatment performed by physical therapists. By gently guiding your head through a series of precise movements, this technique repositions the crystals back where they belong. Many patients experience significant relief after just one or two sessions, often noticing reduced dizziness immediately.



Addressing vestibular issues not only improves balance, but also restores confidence. When dizziness decreases, daily activities such as walking in crowded spaces, driving, or climbing stairs become more manageable and less intimidating.

When vestibular problems are treated properly, patients often describe it as getting their life back. Instead of avoiding certain movements or living with constant worry, they begin to feel steady and secure again.

This renewed confidence makes everyday activities—like walking through a store, spending time with family, or enjoying a favorite hobby—possible without fear.

By addressing the root cause of dizziness, vestibular therapy not only reduces fall risk but also helps people reclaim their independence and quality of life.

BUILDING PROPRIOCEPTION FOR STRONGER BALANCE

If you feel unsteady or unsure of your footing, your **proprioceptive system** may need retraining. Proprioception is your body's ability to sense where it is in space—it's what helps you know where your feet are without looking at them. When this system weakens, simple movements can feel unstable, increasing the risk of falls.

Physical therapists use targeted exercises to reawaken these sensors and improve body awareness. The good news is that you can start practicing some simple movements at home to strengthen your proprioception and build steadier balance.

In the following pages, we'll walk you through three safe and effective exercises you can try, each exercise will include step-by-step instructions, why it works, and tips to keep you safe as you practice.

EXERCISE 1: TANDEM STANCE KNEE BENDS

Standing heel-to-toe, as if walking a tightrope, is a powerful way to challenge your balance system. Adding small knee bends increases the demand on your leg muscles while forcing your body to stabilize.

How to Do It:

1. Stand with one foot directly in front of the other, heel touching toe.
2. Keep your core engaged and your posture tall.
3. Slowly bend both knees a few inches, then straighten back up.
4. Repeat 8–10 times, then switch feet.

Why It Works:
This exercise simulates narrow-based walking, which often feels less stable as we age because the feet are placed closer together. Practicing in a controlled way helps retrain your balance system to manage this narrower base of support. It also engages the muscles of your legs, hips, and core, which work together to keep you steady.

Over time, these small movements improve coordination between your muscles and nervous system, making everyday tasks—like walking down a crowded hallway or stepping off a curb—feel more secure and natural.

Safety Tip:
Always perform this exercise in a safe environment. Stand near a counter, sturdy table, or the back of a heavy chair that you can lightly hold if needed. Avoid soft or uneven flooring, as a firm, level surface gives you better feedback for balance. If the exercise feels too easy, try holding the stance for a few seconds longer before bending your knees.

If it feels too challenging, start with your feet slightly apart instead of directly heel-to-toe, and gradually work toward the tighter stance as your balance improves.

EXERCISE 2: SINGLE-LEG BALANCING

Balancing on one leg activates the small stabilizer muscles in your hips, ankles, and core. These muscles are critical for preventing stumbles when walking on uneven surfaces or stepping off a curb.

How to Do It:

1. Stand with feet hip-width apart near a counter or sturdy chair.
2. Lift one foot a few inches off the ground and hold the position.
3. Aim to balance for 10–20 seconds, then switch legs.
4. Repeat 3–4 times on each side.

Why It Works:
Balancing on one leg forces your body to engage the small stabilizer muscles in your ankles, hips, and core that don't get as much attention during regular exercise. These muscles provide the fine-tuned adjustments that keep you steady when walking on uneven ground, climbing stairs, or stepping off a curb.

By practicing this movement, you also improve your proprioception—the body's ability to sense where it is in space—which sharpens your coordination and helps prevent missteps. Over time, this simple exercise can make walking feel smoother, increase your confidence, and lower your risk of falls during daily activities.

Safety Tip:
Always perform this exercise near a counter, sturdy table, or heavy chair so you have something to reach for if you feel unsteady. Keep your lifted foot low to the ground at first so you can easily step back down if needed.

Once the basic movement feels comfortable, you can increase the challenge by balancing for longer periods, lightly moving your arms, or even turning your head side to side. If you want to make it easier, keep one hand resting gently on the counter for support while you build strength and stability.

EXERCISE 3: MARCHING IN PLACE

Marching in place is a simple yet effective way to coordinate movement while reinforcing balance. It mimics everyday activities like walking, but in a safe, stationary environment.

How to Do It:

1. Stand tall with feet hip-width apart.
2. Slowly lift one knee toward your chest, then lower it back down.
3. Alternate legs in a controlled marching rhythm.
4. Continue for 30–60 seconds.

Why It Works:
Marching in place is more than just lifting your knees—it helps your body practice the rhythm and coordination needed for safe walking. Each time you lift a leg, your weight shifts onto the opposite side, requiring your muscles and nervous system to work together to maintain balance.

This constant weight-shifting is essential for everyday activities like walking, climbing stairs, or getting in and out of a chair. By practicing in a safe, stationary position, you strengthen the stabilizing muscles in your hips, core, and legs, while also sharpening your proprioception, so your body becomes more responsive and confident during movement.

Safety Tip:
Choose a flat, stable surface when practicing this exercise, and stay near a counter, wall, or sturdy chair for support. Start slowly, lifting your knees only a few inches, and focus on staying tall rather than leaning forward or backward.

As you feel more comfortable, increase the height of your march or the duration of time you practice. If you ever feel unsteady, lightly place a hand on your support surface for balance. The goal is steady, controlled movement—not speed.

TRAINING SAFELY WITH THE SOLO-STEP SYSTEM

One of the biggest barriers to improving balance is the **fear of falling.** Even when exercises are safe and beneficial, the thought of losing your footing can make people hesitant to try.

That's why at **Mile High Physical Therapy**, we use the **Solo-Step harness system**—a specialized safety setup that allows patients to challenge their balance in complete security.

The Solo-Step is a ceiling-mounted track system with a supportive harness. While wearing it, you can move freely and practice walking, balancing, and even more advanced exercises without the risk of falling.

This means you can push your limits, try new movements, and truly strengthen your balance system—knowing you're supported every step of the way.

Why It Matters:

- Creates a safe environment to build confidence during balance training
- Allows patients to practice movements they might otherwise avoid
- Reduces fear, which often holds people back from making progress
- Provides peace of mind for both patients and therapists

By combining the Solo-Step system with targeted balance exercises, we give patients the freedom to train safely, build stability, and restore independence—without fear standing in the way.

ADDRESSING THE VISUAL SYSTEM

While physical therapy can help retrain your vestibular and proprioceptive systems, your **visual system** also plays a critical role in maintaining balance. Your eyes provide constant feedback to your brain about where you are in space.

When vision is compromised—whether from blurred vision, double vision, or depth perception changes—your body has less reliable information to work with, which can increase the risk of imbalance or falls.

If you've noticed recent changes in your eyesight, it's important to schedule an exam with an **optometrist or ophthalmologist.** Corrective lenses, updated prescriptions, or medical treatment for eye conditions can significantly improve stability and reduce fall risk.

Why It Matters:

- Clear vision helps your brain and body coordinate movement with accuracy.
- Many balance problems become worse when vision is impaired.
- Addressing vision issues works hand-in-hand with physical therapy to create safer, more confident movement.

Taking care of your eyes is an essential piece of the balance puzzle. When all three systems—vestibular, proprioceptive, and visual—are working together, your foundation for stability becomes much stronger.

FINAL THOUGHTS: SMALL STEPS LEAD TO BIG CONFIDENCE

Losing balance or experiencing dizziness doesn't have to mean giving up independence. Many people assume that feeling unsteady is just a normal part of aging, but that's not the case. With the right approach, your body and brain can adapt, relearn, and grow stronger at any stage of life.

By strengthening your vestibular and proprioceptive systems, practicing simple exercises, and seeking expert support when needed, you can reduce your risk of falls and regain trust in your body. Every time you practice a movement, you are not just training your muscles—you're training your nervous system to respond more quickly and effectively.

When balance improves, life feels easier:

- Walking feels steadier
- Confidence returns
- You can get back to activities without fear of falling
- Everyday tasks become smoother and less stressful

This guide is just the beginning. Even small, consistent steps add up over time to create lasting improvements. With the right support, you can continue to build balance, reduce risks, and move forward with greater strength and confidence in your daily life.

Ready for More Support?

If you've experienced dizziness, unsteadiness, or a recent fall, don't wait for things to get worse. At Mile High Physical Therapy, we provide personalized balance training to help you stay safe and active.

What to Expect in a Free Consultation Visit:

- One-on-one balance and mobility evaluation with a Doctor of Physical Therapy
- Clear insight into what's driving your challenges
- A customized strategy to improve stability and prevent falls

Book Your Free Consultation Today!

Don't let balance issues or fear of falling hold you back. Whether you want to stay active, feel steady on your feet, or enjoy daily life with confidence, we're here to support you. Book your free discovery visit today and take the first step toward safer, stronger movement!

BOOK A FREE CONSULTATION TODAY!

https://www.milehighphysicaltherapy.com/discovery-visit/

info@milehighphysicaltherapy.com

www.milehighphysicaltherapy.com